

# BOBKONA®

US PATENT # 7,922,253;8,322,792;8,322,793

\*\*\*

## NOTICE BEFORE ASSEMBLY


\*\*\*

Please choose the **CHAISE** will be on

The **LEFT** or **RIGHT** hand side.


# ASSEMBLY INSTRUCTION I: CHAISE ON THE LEFT

ITEM NO.: **F7605, F7606, F7608**




## PART LIST

BOX 1




\*Cushions, pillow and legs included

BOX 2



\*Cushions, pillow and legs included

1




X 11

2




X 11

3



X 11

4




X 2

5



X 11

6





X 1

7




X 8



Open up the Velcro of Non-Woven Fabric cover on the bottom of the seat frame to remove seat cushions, back cushions and pillow.


\*\*\* PLEASE REMOVE ALL PARTS FROM SEAT FRAMES AND BACKS BEFORE ASSEMBLY\*\*\*




## CHAISE ASSEMBLY INSTRUCTION-BOX 1

### STEP 1- INSERT THREADED RODS INTO SEAT BACKS


\*Stop when the rod starts coming out on the other end\*



### STEP 2- MOUNTED SEAT BACKS INTO THE SEAT FRAME.




### STEP 3- PUT BACK THE FABRIC COVER AND INSERT LEGS.




## SOFA ASSEMBLY INSTRUCTION-BOX 2


### STEP 1- INSERT THREADED RODS INTO SEAT BACKS



### STEP 2- MOUNTED SEAT BACKS INTO THE SEAT FRAME.



### STEP 3- PUT BACK THE FABRIC COVER AND INSERT LEGS.



\*Stop when the rod starts coming out on the other end\*

# BOBKONA®

US PATENT # 7,922,253;8,322,792;8,322,793

\*\*\*


## NOTICE BEFORE ASSEMBLY

\*\*\*

Please choose the **CHAISE** will be on  
The **LEFT** or **RIGHT** hand side.


# ASSEMBLY INSTRUCTION II: CHAISE ON THE RIGHT  
ITEM NO.: **F7605, F7606, F7608**

Before assembly, open both  
Box 1 and Box 2 to switch  
between Part A and Part F.  
And you will get the direction  
of right chaise.




## PART LIST

### BOX 1




\*Cushions, pillow and legs included

### BOX 2



\*Cushions, pillow and legs included

1



X 11

2




X 11

3



X 11

4



X 2

5



X 11

6





X 1

7




X 8



Open up the Velcro of Non-Woven Fabric cover  
on the bottom of the seat frame to remove seat  
cushions, back cushions and pillow.

\*\*\* PLEASE REMOVE ALL PARTS FROM SEAT FRAMES AND BACKS BEFORE ASSEMBLY\*\*\*







## CHAISE ASSEMBLY INSTRUCTION-BOX 1

### STEP 1- INSERT THREADED RODS INTO SEAT BACKS


\*Stop when the rod starts coming out on the other end\*



### STEP 2- MOUNTED SEAT BACKS INTO THE SEAT FRAME.





### STEP 3- PUT BACK THE FABRIC COVER AND INSERT LEGS.




## SOFA ASSEMBLY INSTRUCTION-BOX 2


### STEP 1- INSERT THREADED RODS INTO SEAT BACKS



### STEP 2- MOUNTED SEAT BACKS INTO THE SEAT FRAME.





### STEP 3- PUT BACK THE FABRIC COVER AND INSERT LEGS.



\*Stop when the rod starts coming out on the other end\*

# CHAISE + SOFA (SECTIONAL)

CHAISE + SOFA CAN BE ATTACHED TOGETHER BY "n" SHAPE HANGER AS THE DRAWINGS SHOWN BELOW.




STEP 1

STEP 2

# Assembly Instructions


## Item No.: F7605, F7606, F7608



X 4


1

### STEP 1



Open up the Velcro of Non-Woven Fabric cover on the bottom the seat Frame to remove seat cushion out.

### STEP 2



Put Back the fabric cover and insert legs.